



ProLipo *PLUS*[™]
Laser-Assisted Lipolysis
For dramatic body contouring results



ProLipo *PLUS*



Laser-assisted lipolysis with ProLipo *PLUS* is a comfortable, minimally invasive, and controlled way to remove fat

- A slender cannula is inserted into the skin
- A laser fiber within the cannula delivers energy to areas of body fat
- Energy from the laser melts the unwanted fat and tightens tissue resulting in a tighter, slimmer appearance
- Typically only one treatment is needed per body area

“My satisfaction with this procedure is over the moon! It definitely was quick and easy. I couldn’t be happier.” – Tara U., Minnesota

Benefits of ProLipo *PLUS*



No general anesthesia – can be done under local anesthesia

No operating room – can be done in the doctor's office

Fast treatment

Very small incisions - minimal scars

Immediately visible and superior results

Comfortable and quick treatment


Minimal bruising and downtime

ProLipo *PLUS*



Areas that can be treated

- Chin
- Jowls
- Neck
- Arms
- Back
- Abdomen
- Flanks
- Hips
- Waist
- Thighs
- Buttocks
- Knees
- Male chest



Am I a Candidate?



Ideal candidate is reasonably fit with localized pockets of fat that diet and exercise alone cannot fix

It can also be used in conjunction with traditional liposuction to diminish the loose skin associated with the procedure

“As a lifetime athlete, I had reached a stage in my life where I realized I had gotten older and put on weight. I attempted to improve my appearance by exercise and diet, however, there were areas of fat that no amount of hard work would eliminate. I had ProLipo which targeted the areas I struggled with. This treatment has helped me achieve considerable improvement in my body without all the hard work.”

– Megan H., Pennsylvania

What Should I Expect After Treatment?



Patients return home the same day

Can resume normal activities within a few days

Results are typically visible very soon after treatment

Results will continue to improve over several months

“The recovery process was simple. I could have gone back to work the same day. I was back to work the next day. And downtime was when I was laying on the table and he was doing the treatment. I call it ‘Lunchtime Lipo for Working Women’.”

– Lisa U., Kentucky

Are There Potential Risks?



Every medical procedure involves a certain amount of risk and every procedure has limitations

Although the majority of patients do not experience complications, potential risks can include:

- bruising, edema, paresthesia, uncontrolled bleeding from incisions, uncontrolled pain, uncontrollable dizziness not related to pain relievers, necrotic fat drainage from the incision, necrotic tissue requiring removal, asymmetry, hyperpigmentation, hematoma, infection, temperature over 105°F, convulsions, and gangrene.

“The process was fabulous. It’s an easy procedure and the recovery was unbelievable, with limited swelling, and no bruising. I was ready to rock ‘n’ roll the next day. Compared to regular liposuction, ProLipo was much easier with less discomfort.”

- Lisa P., Tennessee

BEFORE / AFTER | courtesy of Brian V. Heil, MD, FACS

ProLipo *PLUS*[™]



BEFORE / AFTER | courtesy of Brian V. Heil, MD, FACS

ProLipo *PLUS*[®]



BEFORE / AFTER | courtesy of Marc J. Salzman, MD, FACS

ProLipo *PLUS*™



BEFORE / AFTER | courtesy of Marc J. Salzman, MD, FACS

ProLipo *PLUS*[™]



BEFORE / AFTER | courtesy of Marc J. Salzman, MD, FACS

ProLipo *PLUS*[™]

Parameters: 30 W with 60% 1064 nm / 40% 1319 nm; 2449 J cumulative



BEFORE / AFTER | Four months post 1 tx | courtesy of Marc J. Salzman, MD, FACS

ProLipo *PLUS*[™]

Parameters: 1st pass 15 W 1064 nm, 7053 J; 2nd pass 15 W 1319 nm, 4330 J



BEFORE / AFTER | courtesy of Kevin Tehrani, MD

ProLipo™



BEFORE / AFTER | Two months post 1 tx | courtesy of Brian V. Heil, MD, FACS

ProLipo™



BEFORE / AFTER | courtesy of Roger S. Hogue, MD, FVT

ProLipo™



BEFORE / AFTER | One month post 1 tx | courtesy of Jason Pozner, MD, FACS

ProLipo™

